

Specification Sheet



Bespoke Engineered Oak - Unfinished

15/4 x 220 x 2200 ABCD

Bespoke Engineered European Oak. 15mm thick, 220mm wide, 2200mm length. Manufactured to exacting specifications for NZ conditions, making it the perfect base for your interiors. This product can be prefinished in NZ to a limitless range of colours with your choice of an Oil or UV Lacquer Finish.

Product Details

| | |
|---------------------|---|
| Product type | Engineered European Oak |
| Grade | ABCD – feature grade |
| Total thickness | 15mm |
| Wear layer | 4mm European Oak |
| Width | 220mm |
| Length | 2200mm |
| % of shorts | up to 25% |
| Profile | Tongue and Groove 4 sides |
| Construction | Multi-layer engineered |
| Core | Multi-layer Ply |
| Backing layer | Birch |
| Re-sands | up to 4 (0.8-1mm removed per re-sand) |
| Surface texture | Mixed surface texture – Bandsawn, Half Bandsawn, Circularsawn, Half Circularsawn |
| Bevel | 0.5mm micro-bevel 4 sides |
| Filler colour | Black |
| Installation method | Glue down |
| | *For full installation instructions please visit www.bespoketimber.co.nz |



Pack Details

| | |
|-----------------|--|
| Pack size | 2.904m ² |
| Pack weight | 28.5kg |
| Boards per pack | 6 full planks including up to 2 nested lengths |

Structural Warranty

10 year commercial

25 year residential

*For terms & conditions visit www.bespoketimber.co.nz

Grade Information




Bespoke ABCD feature grade will contain a variation of boards. Each individual board may include:

- Knots with black filler.
- Variation in natural colour.
- Sapwood.
- End cracks filled with a natural-coloured filler.

Timber is a natural product, and every board is unique.

Board Profile





Address

Bespoke Timber Coatings
Unit 1/4 Laurenson Road
Hobsonville, Auckland 0618

Phone/Email

021 583 386
info@bespocketimber.co.nz

Online

www.bespocketimber.co.nz