

Specification Sheet

Bespoke Engineered Oak - Unfinished

20/6 x 220 x 2200 ABCD

Bespoke Engineered European Oak. 20mm thick, 220mm wide, 2200mm length. Manufactured to exacting specifications for NZ conditions, making it the perfect base for your interiors. This product can be prefinished in NZ to a limitless range of colours with your choice of an Oil or UV Lacquer Finish.

Product Details

Product type	Engineered European Oak
Grade	ABCD – feature grade
Total thickness	20mm
Wear layer	6mm European Oak
Width	220mm
Length	2200mm
% of shorts	up to 25%
Profile	Tongue and Groove 4 sides
Construction	Multi-layer engineered
Core	Multi-layer Ply
Backing layer	Birch
Re-sands	up to 6 (0.8-1mm removed per re-sand)
Surface texture	Lightly brushed
Bevel	0.5mm micro-bevel 4 sides
Filler colour	Black
Installation method	Glue down
	*For full installation instructions please visit www.bespoketimber.co.nz



Pack Details

Pack size	2.904m ²
Pack weight	28.5kg
Boards per pack	6 full planks including up to 2 nested lengths

Structural Warranty

10 year commercial

25 year residential

*For terms & conditions visit www.bespoketimber.co.nz

Grade Information




Bespoke ABCD feature grade will contain a variation of boards. Each individual board may include:

- Knots with black filler.
- Variation in natural colour.
- Sapwood.
- End cracks filled with a natural-coloured filler.

Timber is a natural product, and every board is unique.

Board Profile





Address

Bespoke Timber Coatings
Unit 1/4 Laurenson Road
Hobsonville, Auckland 0618

Phone/Email

021 583 386
info@bespocketimber.co.nz

Online

www.bespocketimber.co.nz